

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7614	polarizing adj beam adj splitter	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:21
L2	388	station and L1	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:21
L3	463	706/15.ccls.	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:21
L4	0	706/15.ccls. and (quantum adj game)	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:23
L5	296	257/9.ccls.	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:23
L6	0	257/9.ccls. and (quantum adj game)	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:23
L7	18	977/755.ccls.	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:24
L8	0	977/755.ccls. and game	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:24
L9	0	977/755.ccls. and (quantum adj game)	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:24
L10	115	977/762.ccls.	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:24
L11	1	977/762.ccls. and game	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:24
L12	0	977/762.ccls. and (quantum adj game)	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:25
S1	0	public adj good adj game	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:02
S2	2	quantum adj game	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:02
S3	545	quantum adj information	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:03
S4	29	S3 and game	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:03
S5	0	S4 and (entangle\$3 adj state)	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:03
S6	6	(two adj particle) and (entangle\$3 adj state)	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:05
S7	2	((pairwise pair-wise round-robin) near2 entangle\$3)	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:04
S8	2032	(optical adj (network system)) and stations and channels	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:04

EAST Search History

S9	5	(optical adj (network system)) and stations and channels and (photon adj source)	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:06
S10	7614	polarizing adj beam adj splitter	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:06
S11	8730	(superconducting adj quantum adj interference adj devices) SQUIDS (NMR adj systems) (individual adj (atoms molecules ions)) ((cavity adj quantum adj electro-dynamic) QED adj systems) (photonic adj systems)	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:07
S12	1	S11 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:20
S13	388	station and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:21
S14	14	station same S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:09
S15	2	(state adj vector) and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:08
S16	0	(state adj vector) and (plurality near pairs near2 entangled near2 qubits) and (N adj pairs) and (2N adj operators) and (probabiltiy and cooperative adj effort) and players. clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:11
S17	0	(state adj vector) and (plurality near pairs near2 entangled near2 qubits) and (N adj pairs) and (2N adj operators) and (probabiltiy and cooperative adj effort) and players. clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/29 20:12

EAST Search History

S18	0	(state adj vector) and (plurality near pairs near2 entangled near2 qubits) and (N adj pairs) and (2N adj operators) and (probabilitiy and cooperative adj effort) and players. clm.	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:13
S19	1	(source near2 (multiple adj channels)) and (entangle\$3 adj photon adj pairs) and (plurality near2 stations) and players and (optical adj network).clm.	US-PGPUB; USPAT	OR	OFF	2007/09/29 20:14



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+"quantum game"

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used: quantum game

Found 5 of 211,032

Sort results by

relevance

Display results

expanded form

Save results to a Binder

Search Tips

☐ Open results in a new window
Try an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 5 of 5

Relevance scale ☐ ☐ ☐ ☐ ☐

1 Session 11B: Toward a general theory of quantum games



Gus Gutoski, John Watrous

 June 2007 **Proceedings of the thirty-ninth annual ACM symposium on Theory of computing STOC '07**

Publisher: ACM Press

 Full text available: pdf(244.17 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We study properties of quantum strategies, which are complete specifications of a given party's actions in any multiple-round interaction involving the exchange of quantum information with one or more other parties. In particular, we focus on a representation of quantum strategies that generalizes the Choi-Jamiołkowski representation of quantum , with respect to which each strategy is described by a single operations. This new representation associates with each strategy a positive semidefini ...

Keywords: Choi-Jamiołkowski representation, coin-flipping, interactive proof systems, quantum game theory, quantum strategies

2 Special section on impact of quantum technologies on networks and networking


research: Quantum networks: from quantum cryptography to quantum architecture

Tatjana Curcic, Mark E. Filipkowski, Almadena Chtchelkanova, Philip A. D'Ambrosio, Stuart A. Wolf, Michael Foster, Douglas Cochran

 October 2004 **ACM SIGCOMM Computer Communication Review**, Volume 34 Issue 5

Publisher: ACM Press

 Full text available: pdf(221.26 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

As classical information technology approaches limits of size and functionality, practitioners are searching for new paradigms for the distribution and processing of information. Our goal in this Introduction is to provide a broad view of the beginning of a new era in information technology, an era of quantum information, where previously underutilized quantum effects, such as quantum superposition and entanglement, are employed as resources for information encoding and processing. The ability t ...

3 Contributed session 3: Knowledge in quantum systems



R. van der Meyden, Manas Patra

 June 2003 **Proceedings of the 9th conference on Theoretical aspects of rationality and knowledge TARK '03**

Publisher: ACM Press

Full text available:  [pdf\(1.09 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper applies to quantum systems a modelling for the logic of knowledge, originally developed for reasoning about distributed systems, but since then applied to game theory, computer security and artificial intelligence. A formal model of quantum message passing systems is developed and the question of how one might define the semantics of a modal operator for knowledge in this model is considered. It is argued that there are at least two plausible semantics, depending on whether the agents ...


4 [Complexity theory: Guest Column: NP-complete problems and physical reality](#)



Scott Aaronson

March 2005 **ACM SIGACT News**, Volume 36 Issue 1

Publisher: ACM Press

Full text available:  [pdf\(918.92 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Can NP-complete problems be solved efficiently in the physical universe? I survey proposals including soap bubbles, protein folding, quantum computing, quantum advice, quantum adiabatic algorithms, quantum-mechanical nonlinearities, hidden variables, relativistic time dilation, analog computing, Malament-Hogarth spacetimes, quantum gravity, closed timelike curves, and "anthropic computing." The section on soap bubbles even includes some "experimental" results. While I do not believe that any of ...


5 [Communicating quantum processes](#)



Simon J. Gay, Rajagopal Nagarajan

January 2005 **ACM SIGPLAN Notices , Proceedings of the 32nd ACM SIGPLAN-SIGACT symposium on Principles of programming languages POPL '05**, Volume 40 Issue 1

Publisher: ACM Press

Full text available:  [pdf\(247.88 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We define a language CQP (Communicating Quantum Processes) for modelling systems which combine quantum and classical communication and computation. CQP combines the communication primitives of the pi-calculus with primitives for measurement and transformation of quantum state; in particular, quantum bits (qubits) can be transmitted from process to process along communication channels. CQP has a static type system which classifies channels, distinguishes between quantum and classical data, and co ...

Keywords: formal language, quantum communication, quantum computing, semantics, types, verification

Results 1 - 5 of 5

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+"quantum game" +"entangled pairs"

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used: **quantum game entangled pairs**

Found 2 of 211,032

Sort results by

relevance

Display results

expanded form

[Save results to a Binder](#) [Search Tips](#)☐ Open results in a new window[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Results 1 - 2 of 2

Relevance scale

1 [Communicating quantum processes](#)

Simon J. Gay, Rajagopal Nagarajan

 January 2005 **ACM SIGPLAN Notices , Proceedings of the 32nd ACM SIGPLAN-SIGACT symposium on Principles of programming languages POPL '05**, Volume 40
Issue 1

Publisher: ACM Press

Full text available: pdf(247.88 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We define a language CQP (Communicating Quantum Processes) for modelling systems which combine quantum and classical communication and computation. CQP combines the communication primitives of the pi-calculus with primitives for measurement and transformation of quantum state; in particular, quantum bits (qubits) can be transmitted from process to process along communication channels. CQP has a static type system which classifies channels, distinguishes between quantum and classical data, and co ...

Keywords: formal language, quantum communication, quantum computing, semantics, types, verification

2 [Contributed session 3: Knowledge in quantum systems](#)

R. van der Meyden, Manas Patra

 June 2003 **Proceedings of the 9th conference on Theoretical aspects of rationality and knowledge TARK '03**

Publisher: ACM Press

Full text available: pdf(1.09 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper applies to quantum systems a modelling for the logic of knowledge, originally developed for reasoning about distributed systems, but since then applied to game theory, computer security and artificial intelligence. A formal model of quantum message passing systems is developed and the question of how one might define the semantics of a modal operator for knowledge in this model is considered. It is argued that there are at least two plausible semantics, depending on whether the agents ...

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar All articles - **Recent articles** Results 1 - 10 of about 19 for +\"quantum game\" \"entangled q

All Results

[S Gay](#)

[R Nagarajan](#)

[K Chen](#)

[T Hogg](#)

[R Beausoleil](#)

Communicating quantum processes - all 10 versions »

SJ Gay, R Nagarajan - Proceedings of the 32nd ACM SIGPLAN-SIGACT symposium on ... , 2005 - portal.acm.org

... This is true even if the **entangled qubits** are physically separated ... example is based on a scenario used by Meyer [14] to initiate the study of **quantum game** theory ...

[Cited by 28](#) - [Related Articles](#) - [Web Search](#)

A Quantum Treatment of Public Goods Economics - all 7 versions »

KY Chen, T Hogg, R Beausoleil - Quantum Information Processing, 2002 - Springer

... games are far more feasible, and could allow tests of **quantum game** theory to be ... of trials is limited by the rate at which two-particle **entangled qubits** can be ...

[Cited by 15](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Correlated Equilibria of Classical Strategic Games with Quantum Signals - all 13 versions »

P La Mura - Arxiv preprint quant-ph/0309033, 2003 - arxiv.org

... Moreover, it was soon pointed out that any such **quantum game** can be ... It is not difficult to check that the equilibrium with two **entangled qubits** described in ...

[Cited by 8](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

A Practical Quantum Mechanism for the Public Goods Game - all 3 versions »

KY Chen, T Hogg, R Beausoleil - Arxiv preprint quant-ph/0301013, 2003 - arxiv.org

... games are far more feasible, and could allow tests of **quantum game** theory to ... ber of trials is limited by the rate at which two-particle **entangled qubits** can be ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Complete Deterministic Linear Optics Bell State Analysis - all 5 versions »

C Schuck, G Huber, C Kurtsiefer, H Weinfurter - Physical Review Letters, 2006 - APS

... **Entangled qubits** are required for quantum communication, most prominently for quantum ...

or to serve as a truly efficient judge in novel **quantum game** protocols [28 ...

[Cited by 12](#) - [Related Articles](#) - [Web Search](#)

Studies in the Theory of Quantum Games - all 4 versions »

A Iqbal - Arxiv preprint quant-ph/0503176, 2005 - arxiv.org

... 152 11.3.5 **Quantum game** as another classical game? 157 6 Page 7. List of Figures 4-1 Eisert et al.'s scheme to play a **quantum game**.

[Cited by 8](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

How Well Do People Play a Quantum Prisoner's Dilemma? - all 4 versions »

KY Chen, T Hogg - Quantum Information Processing, 2006 - Springer

... Instead of waiting for development of a physical implementation of the **quantum game**, we simulated all the quantum components since the subjects in a laboratory ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

Generalized Quantum Games with Nash Equilibrium - all 3 versions »

XF Liu, CP Sun - Arxiv preprint quant-ph/0212045, 2002 - arxiv.org

... Next we consider two models of the above generalized **quantum game** with single qubit and two **entangled qubits**, in which the Nash theorem holds. ...

[Cited by 1](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

QUBIT DEVICES - all 3 versions »

HE BRANDT - Lecture Notes for the AMS Short Course on Quantum ..., 2000 - ipp.mpg.de
Page 1. QUBIT DEVICES HOWARD E. BRANDT Abstract. This lecture presents brief mathematical descriptions of a variety of potential qubit devices. ...

[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

Types and typechecking for Communicating Quantum Processes - all 2 versions »

SJ GAY, R NAGARAJAN - Mathematical Structures in Computer Science, 2006 - Cambridge Univ Press

... This is true even if the **entangled qubits** are physically separated. ... is based on a scenario used in Meyer (1999) to initiate the study of **quantum game** theory. ...

[Cited by 3](#) - [Related Articles](#) - [Web Search](#)

Google ►

Result Page: 1 2 [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 33 for +\"quantum game\" +\"n players\"

All Results

[E Piotrowski](#)
[J Śladkowski](#)
[J Śladkowski](#)
[T Hogg](#)
[K Chen](#)

[An Invitation to Quantum Game Theory - all 11 versions »](#)

EW Piotrowski, J Śladkowski - International Journal of Theoretical Physics, 2003 - Springer
 ... Page 7. An Invitation to **Quantum Game** Theory ... We also exclude the alteration of the payoff during the game. The generalization for the **N players** case is obvious. ...

[Cited by 27](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[The next stage: quantum game theory - all 6 versions »](#)

EW Piotrowski, J Śladkowski - Arxiv preprint quant-ph/0308027, 2003 - arxiv.org
 ... The **quantum game's** definition may also include certain additional rules, such as the order of the implemen ... The generalization for the **N players** case is obvious ...

[Cited by 23](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[N-player quantum minority game - all 3 versions »](#)

Q Chen, Y Wang, JT Liu, KL Wang - Physics Letters A, 2004 - Elsevier

... In minority game, there are **N players** and each player privately chooses two alternatives ... but the difference between the expected payoff of **quantum game** and that ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

[A Quantum Treatment of Public Goods Economics - all 7 versions »](#)

KY Chen, T Hogg, R Beausoleil - Quantum Information Processing, 2002 - Springer
 ... the choices in the original game, the final result of the **quantum game** will, with ... However, scaling a fully entangled game from 2 to **n players** can be nontrivial ...

[Cited by 15](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Giffen paradoxes in quantum market games - all 11 versions »](#)

J Śladkowski - Physica A: Statistical Mechanics and its Applications, 2003 - Elsevier
 ... The **quantum game's** definition may also include certain additional rules, such as the order of the ... The generalization for the **N-players** case is obvious. ...

[Cited by 10](#) - [Related Articles](#) - [Web Search](#)

[Quantum Solution of Coordination Problems - all 19 versions »](#)

BA Huberman, T Hogg - Quantum Information Processing, 2003 - Springer

... this quantum coordination mechanism applies to more complicated games with correlated equilibria among **n players**. ... CF Lee and N. Johnson, **Quantum game** theory. ...

[Cited by 9](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Samaritan's Dilemma: Classical and quantum strategies in Welfare Game - all 3 versions »](#)

SK Ozdemir, J Shimamura, F Morikoshi, N Imoto - Arxiv preprint quant-ph/0311074, 2003 - arxiv.org

... have been shown to be very different from those of their classical counterparts, eg the dilemma of the prisoners have been resolved in the **quantum game**. ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Quantization of Games: Towards Quantum Artificial Intelligence - all 6 versions »](#)

K Miakisz, EW Piotrowski, J Śladkowski - Theoretical Computer Science, 2006 - Elsevier

... would like to convince the reader that the research on **quantum game** theory cannot ...
Therefore, it is sufficient to describe a collective tactic of **N players** as a ...
[Cited by 5](#) - [Related Articles](#) - [Web Search](#)

Studies in the Theory of Quantum Games - all 4 versions »

A Iqbal - Arxiv preprint quant-ph/0503176, 2005 - arxiv.org
... 261-270 (2002). • A. Iqbal and AH Toor, Backwards-induction outcome in a **quantum game**. Physical ... 2. Strategy sets S_1, S_2, \dots, S_N for the **N players** ...
[Cited by 8](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

A new mathematical representation of Game Theory, I - all 5 versions »

J Wu - Arxiv preprint quant-ph/0404159, 2004 - arxiv.org
... be clear when we do it on **quantum game**. ... In fact, the base vector set of Hilbert space of system state of **N players** can be defined as direct product of single ...
[Cited by 5](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Gooooogle ►

Result Page: 1 2 3 4 **Next**

+^hquantum game" +"n players"

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 6 of 6 for **+"quantum game" +"n players" +"entangled qubits"**. (0.09 seconds)

All Results

Tip: Try removing quotes from your search to get more results.

[K Chen](#)

[T Hogg](#)

[R Beausoleil](#)

[A Iqbal](#)

[A Quantum Treatment of Public Goods Economics - all 7 versions »](#)

KY Chen, T Hogg, R Beausoleil - Quantum Information Processing, 2002 - Springer
 ... complete a maximally-entangled game for **n players** will scale ... and could allow tests
 of **quantum game** theory to ... rate at which two-particle **entangled qubits** can be ...
[Cited by 15](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[A Practical Quantum Mechanism for the Public Goods Game - all 3 versions »](#)

KY Chen, T Hogg, R Beausoleil - Arxiv preprint quant-ph/0301013, 2003 - arxiv.org
 ... plete a maximally-entangled game for **n players** will scale no ... and could allow tests
 of **quantum game** theory to ... rate at which two-particle **entangled qubits** can be ...
[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Studies in the Theory of Quantum Games - all 4 versions »](#)

A Iqbal - Arxiv preprint quant-ph/0503176, 2005 - arxiv.org
 ... 261-270 (2002). • A. Iqbal and AH Toor, Backwards-induction outcome in a **quantum**
game. Physical ... 2. Strategy sets S_1, S_2, \dots, S_N for the **N players** ...
[Cited by 8](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[How Well Do People Play a Quantum Prisoner's Dilemma? - all 4 versions »](#)

KY Chen, T Hogg - Quantum Information Processing, 2006 - Springer
 ... Instead of waiting for development of a physical implementation of the **quantum game**,
 we simulated all the quantum components since the subjects in a laboratory ...
[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

[Behavior of Multi-Agent Protocols Using Quantum Entanglement](#)

KY Chen, T Hogg, BA Huberman - hpl.hp.com
 ... Hogg, & Beausoleil 2002), for **n players**, a source ... each pair of players, using their
 shared **entangled qubits**. ... This **quantum game** has no dominant strategy, and ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Games using pair-wise entanglements - all 2 versions »](#)

RG Beausoleil, KY Chen, T Hogg, L Zhang, WJ Munro - 2005 - freepatentsonline.com
 ... state vector representing N pairs of **entangled qubits** and selecting ... Each of **n players**
 of the game can select one ... a flow diagram of a **quantum game** in accordance ...
[Cached](#) - [Web Search](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google